

Student- t with strata

Parametrization

This model is an extension to the Student- t , where different strata have their own precisions but the degrees-of-freedom parameter is common.

The Student- t likelihood is defined so that

$$\sqrt{w \tau_s}(y - \eta) \sim T_\nu$$

for continuous response y where

τ_s : is the precision parameter, depending on the stratum s

w : is a fixed weight $w > 0$

η : is the linear predictor

T_ν : is a standardized Student- t with ν degrees of freedom such that its variance is 1 for any value of ν , common for all strata.

Link-function

Identity

Hyperparameters

This likelihood $N_s + 1$ hyperparameters

$$\begin{aligned}\theta_1 &= \log(\nu - 2) \\ \theta_2 &= \log(\tau_1) \\ \theta_3 &= \log(\tau_2) \\ &\text{etc....} \\ \theta_{N_s+1} &= \log(\tau_{N_s})\end{aligned}$$

where N_s is the number of strata defined. The current implementation limits N_s to 10, but this is easy to fix if needed. The prior is defined on $\theta = (\theta_1, \theta_2, \dots)$.

Specification

- `family="tstrata"`
- Required argument: y and w (keyword `weights`, default to 1), and `inla()`-argument “`strata`” which is either a integer vector with elements $1, 2, \dots, N_s$, or factor for which the levels defines the strata.

Hyperparameter specification and default values

`doc` A stratified version of the Student- t likelihood

`hyper`

`theta1`

`hyperid 101001`

```

name log degrees of freedom
short.name dof
output.name.intern dof_intern for tstrata
output.name degrees of freedom for tstrata
initial 4
fixed FALSE
prior pc.dof
param 15 0.5
to.theta function(x) log(x - 5)
from.theta function(x) 5 + exp(x)

```

theta2

```

hyperid 101002
name log precision1
short.name prec1
output.name Prec for tstrata strata
output.name.intern Log prec for tstrata strata
initial 2
fixed FALSE
prior loggamma
param 1 5e-05
to.theta function(x) log(x)
from.theta function(x) exp(x)

```

theta3

```

hyperid 101003
name log precision2
short.name prec2
output.name Prec for tstrata strata[2]
output.name.intern Log prec for tstrata strata[2]
initial 2
fixed FALSE
prior loggamma
param 1 5e-05
to.theta function(x) log(x)
from.theta function(x) exp(x)

```

theta4

```

hyperid 101004
name log precision3
short.name prec3
output.name Prec for tstrata strata[3]
output.name.intern Log prec for tstrata strata[3]
initial 2
fixed FALSE
prior loggamma
param 1 5e-05

```

```

    to.theta function(x) log(x)
    from.theta function(x) exp(x)
theta5
  hyperid 101005
  name log precision4
  short.name prec4
  output.name Prec for tstrata strata[4]
  output.name.intern Log prec for tstrata strata[4]
  initial 2
  fixed FALSE
  prior loggamma
  param 1 5e-05
  to.theta function(x) log(x)
  from.theta function(x) exp(x)
theta6
  hyperid 101006
  name log precision5
  short.name prec5
  output.name Prec for tstrata strata[5]
  output.name.intern Log prec for tstrata strata[5]
  initial 2
  fixed FALSE
  prior loggamma
  param 1 5e-05
  to.theta function(x) log(x)
  from.theta function(x) exp(x)
theta7
  hyperid 101007
  name log precision6
  short.name prec6
  output.name Prec for tstrata strata[6]
  output.name.intern Log prec for tstrata strata[6]
  initial 2
  fixed FALSE
  prior loggamma
  param 1 5e-05
  to.theta function(x) log(x)
  from.theta function(x) exp(x)
theta8
  hyperid 101008
  name log precision7
  short.name prec7
  output.name Prec for tstrata strata[7]
  output.name.intern Log prec for tstrata strata[7]

```

```

initial 2
fixed FALSE
prior loggamma
param 1 5e-05
to.theta function(x) log(x)
from.theta function(x) exp(x)
theta9
  hyperid 101009
  name log precision8
  short.name prec8
  output.name Prec for tstrata strata[8]
  output.name.intern Log prec for tstrata strata[8]
  initial 2
  fixed FALSE
  prior loggamma
  param 1 5e-05
  to.theta function(x) log(x)
  from.theta function(x) exp(x)
theta10
  hyperid 101010
  name log precision9
  short.name prec9
  output.name Prec for tstrata strata[9]
  output.name.intern Log prec for tstrata strata[9]
  initial 2
  fixed FALSE
  prior loggamma
  param 1 5e-05
  to.theta function(x) log(x)
  from.theta function(x) exp(x)
theta11
  hyperid 101011
  name log precision10
  short.name prec10
  output.name Prec for tstrata strata[10]
  output.name.intern Log prec for tstrata strata[10]
  initial 2
  fixed FALSE
  prior loggamma
  param 1 5e-05
  to.theta function(x) log(x)
  from.theta function(x) exp(x)

```

```
survival FALSE
```

discrete FALSE

link default identity

pdf tstrata

Example

Notes

None