

User defined integration points

Haavard Rue (hrue@r-inla.org)

May 2017 (updated April 2019 and May 2023)

Introduction

This short note describe a new option that allow the user to use user-defined integration points (or “design” points), instead of the default ones. The relevant integration in INLA does

$$\int f(x|\theta, y) \pi(\theta|y) d\theta = f(x|y)$$

where $\pi(\theta|y)$ is the approximated posterior marginal for the hyperparameters, and where $f(x|\theta, y)$ is the approximated marginal for x for that configuration. The output of this integral is the posterior marginal $f(x|y)$. In practice, we use a discrete set of integration points for θ , and corresponding weights w , to get

$$f(x|y) \approx \sum_i f(x|\theta_i, y) w_i \pi(\theta_i|y)$$

for which we require $w_i \geq 0$ and $\sum_i w_i = 1$. Usually, the integration is done in a *standardised scale*,

$$z = A(\theta - \gamma)$$

i.e. with respect to $\pi(z|y)$. Here, γ is the mode of $\pi(\theta|y)$ and the matrix A is the negative square root of the approximated covariance matrix for $\theta|y$ at the mode.

The relevant options are

```
opts = control.inla(int.strategy = "user", int.design = Design)
```

where **Design** is a matrix with the integration points and the integration weights. The j th row of **Design** consists of the values $\theta_j = (\theta_{1j}, \dots, \theta_{mj})$, and the integration weight for this configuration, w_j . The values are in the θ -scale, meaning that you have to know exactly what you are doing, including knowing the ordering of the hyperparameters.

Another version, is to define the points in the standardised scale z . To do this, use

```
opts = control.inla(int.strategy = "user.std", int.design = Design)
```

instead. The meaning of **Design** is unchanged, except that these can be given in standardised coordinates. This version is more relevant if you want to implement a generic new integration design instead of the ones already provided.

First example

In this artificial example, we want to compute the change of the marginal variance of one component, x_1 , of a hidden AR(1) process, with respect to lag one correlation ρ . So we want to compute

$$\frac{\partial \text{SD}(x_1|y)}{\partial \rho}$$

for a fixed value of $\rho = \rho_0$. We have to compute a numerical approximation, using finite difference. While doing this, it is a good idea to keep the design fixed, to avoid introducing an error for changing that part as well.

Let us first setup the experiment

```
n = 100
rho = 0.9
x = scale(arima.sim(n, model = list(ar = rho)))
y = x + rnorm(n, sd = 0.1)
```

this gives the following

```
plot(y, xlab = "time", ylab = "value")
lines(x, lwd=2)
```



To compute the derivative, we do

```
rho.0 = rho
to.theta = inla.models()$latent$ar1$hyper$theta2$to.theta
rho.0.internal = to.theta(rho.0)

r = inla(y ~ -1 + f(time, model="ar1",
  hyper = list(
    theta1 = list(prior = "loggamma",
      param = c(1,1)),
    theta2 = list(initial = rho.0.internal,
      fixed=TRUE))),
  control.inla = list(int.strategy = "grid"),
```

```

data = data.frame(y, time = 1:n))

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/failed8b65ace85c0": No such file or directory
sd.0 = r$summary.random$time[1,"sd"]
print(sd.0)

## [1] 0.0142

We will now change  $\rho$  a little, while we keep the same integration points,

summary(r)

## Time used:
##      Pre = 0.255, Running = 0.373, Post = 0.0688, Total = 0.696
## Random effects:
##   Name      Model
##   time AR1 model
##
## Model hyperparameters:
##               mean      sd 0.025quant
## Precision for the Gaussian observations 1.85e+04 1.83e+04 1234.617
## Precision for time                      8.37e-01 1.17e-01 0.626
##               0.5quant 0.975quant      mode
## Precision for the Gaussian observations 12768.41 66659.98 3398.80
## Precision for time                      0.83      1.09 0.82
##
## Marginal log-Likelihood: -71.08
## is computed
## Posterior summaries for the linear predictor and the fitted values are computed
## (Posterior marginals needs also 'control.compute=list(return.marginals.predictor=TRUE)')

nm <- nrow(r$summary.hyperpar)
Design = as.matrix(cbind(r$joint.hyper[, seq_len(nm)], 1))
head(Design)

##      Log precision for the Gaussian observations
## [1,]                      9.90
## [2,]                      9.15
## [3,]                     10.66
## [4,]                      9.90
## [5,]                      9.91
## [6,]                      9.15
##      Log precision for time 1
## [1,]             -0.1775 1
## [2,]             -0.1757 1
## [3,]             -0.1793 1
## [4,]             -0.2825 1
## [5,]             -0.0724 1
## [6,]             -0.2807 1

```

where the last column is the (un-normalised) integration weights. The integration weights should depend on the area associated with every point, but for simplicity we just set the weights to be a constant.

Design has dimension 85, 3. We call `inla()` again reusing the previous found mode

```

h.rho = 0.01
rho.1.internal = to.theta(rho.0 + h.rho)
rr = inla(y ~ -1 + f(time, model="ar1",
  hyper = list(
    theta1 = list(prior = "loggamma",
      param = c(1,1)),
    theta2 = list(initial = rho.1.internal,
      fixed=TRUE))),
  control.mode = list(result = r, restart=FALSE),
  data = data.frame(y, time = 1:n),
  control.inla = list(
    int.strategy = "user",
    int.design = Design))

```

```

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/field8b63d792fe1": No such file or directory

```

```

sd.1 = rr$summary.random$time[1,"sd"]
print(sd.1)

```

```
## [1] 0.0126
```

and then our estimate of the derivative is

```

deriv.1 = (sd.1 - sd.0) / h.rho
print(deriv.1)

```

```
## [1] -0.158
```

PS: In the logfile of the `inla()`-call, the configurations are shown in the z scale even for `int.strategy="user"`.

Second example

There is also another (experimental) option, that is

```
control.inla = list(int.strategy = "user.expert")
```

for which the weights **includes** $\pi(\theta_i|y)$. The following example show how to use it, fitting the same model in three different ways.

```

n = 50
x = rnorm(n)
y = 1 + x + rnorm(n, sd = 0.2)
param = c(1, 0.04)
dz = 0.1
r.std = inla(y ~ 1 + x, data = data.frame(y, x),
  control.inla = list(int.strategy = "grid",
    dz = dz,
    diff.logdens = 8),
  control.family = list(
    hyper = list(
      prec = list(
        prior = "loggamma",
        param = param))))

```

```

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/field8b6cea4531": No such file or directory

```

```

s = r.std$internal.summary.hyperpar[1,"sd"]
m = r.std$internal.summary.hyperpar[1,"mean"]
theta = m + s*seq(-4, 4, by = dz)
weight = dnorm(theta, mean = m, sd = s)

r = rep(list(list()), length(theta))
for(k in seq_along(r)) {
  r[[k]] = inla(y ~ 1 + x,
               control.family = list(
                 hyper = list(
                   prec = list(
                     initial = theta[k],
                     fixed=TRUE)),
                 data = data.frame(y, x))
}

```

```

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/failed8b62dd56a25": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/failed8b678baa01e": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/failed8b610f5f9c1": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/failed8b640cd3b76": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/failed8b62f0fded3": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/failed8b6ed5d7a9": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/failed8b657b98968": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/failed8b653e37592": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/failed8b664055d8b": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/failed8b676d4f69c": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/failed8b620cb5226": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/failed8b65d172c38": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/failed8b679de6eda": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/failed8b635ac58f4": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/failed8b66479f02": No such file or directory

```

```

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b6714ac9d": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b63d8b22ea": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b69f9457d": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b675867948": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b64047868": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b6300a94d0": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b631ac39ef": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b65e439e9a": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b61dfb2604": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b6157ec071": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b67e27f5af": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b6320dcec": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b669243686": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b62f08d004": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b618970b6e": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b6367b9051": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b62577e0d4": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b67c20215d": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b66b1c38ab": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b67fc9c320": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b6231002f0": No such file or directory

```

```
## Warning in normalizePath(inla.dir):  
## path[1]="/tmp/RtmpggzAMI/filed8b675c4bdd6": No such file or directory  
  
## Warning in normalizePath(inla.dir):  
## path[1]="/tmp/RtmpggzAMI/filed8b64ec143e7": No such file or directory  
  
## Warning in normalizePath(inla.dir):  
## path[1]="/tmp/RtmpggzAMI/filed8b63da3c4bc": No such file or directory  
  
## Warning in normalizePath(inla.dir):  
## path[1]="/tmp/RtmpggzAMI/filed8b65820c00b": No such file or directory  
  
## Warning in normalizePath(inla.dir):  
## path[1]="/tmp/RtmpggzAMI/filed8b63a24e954": No such file or directory  
  
## Warning in normalizePath(inla.dir):  
## path[1]="/tmp/RtmpggzAMI/filed8b614814a66": No such file or directory  
  
## Warning in normalizePath(inla.dir):  
## path[1]="/tmp/RtmpggzAMI/filed8b6d73e58c": No such file or directory  
  
## Warning in normalizePath(inla.dir):  
## path[1]="/tmp/RtmpggzAMI/filed8b62322eded": No such file or directory  
  
## Warning in normalizePath(inla.dir):  
## path[1]="/tmp/RtmpggzAMI/filed8b623bc9601": No such file or directory  
  
## Warning in normalizePath(inla.dir):  
## path[1]="/tmp/RtmpggzAMI/filed8b6508812e": No such file or directory  
  
## Warning in normalizePath(inla.dir):  
## path[1]="/tmp/RtmpggzAMI/filed8b6ff8d98e": No such file or directory  
  
## Warning in normalizePath(inla.dir):  
## path[1]="/tmp/RtmpggzAMI/filed8b6795ab706": No such file or directory  
  
## Warning in normalizePath(inla.dir):  
## path[1]="/tmp/RtmpggzAMI/filed8b66a84550e": No such file or directory  
  
## Warning in normalizePath(inla.dir):  
## path[1]="/tmp/RtmpggzAMI/filed8b6290c1366": No such file or directory  
  
## Warning in normalizePath(inla.dir):  
## path[1]="/tmp/RtmpggzAMI/filed8b6205399c1": No such file or directory  
  
## Warning in normalizePath(inla.dir):  
## path[1]="/tmp/RtmpggzAMI/filed8b6638045bb": No such file or directory  
  
## Warning in normalizePath(inla.dir):  
## path[1]="/tmp/RtmpggzAMI/filed8b657228b85": No such file or directory  
  
## Warning in normalizePath(inla.dir):  
## path[1]="/tmp/RtmpggzAMI/filed8b64a78c196": No such file or directory  
  
## Warning in normalizePath(inla.dir):  
## path[1]="/tmp/RtmpggzAMI/filed8b625223177": No such file or directory  
  
## Warning in normalizePath(inla.dir):  
## path[1]="/tmp/RtmpggzAMI/filed8b6502a9dc4": No such file or directory  
  
## Warning in normalizePath(inla.dir):  
## path[1]="/tmp/RtmpggzAMI/filed8b662e829c0": No such file or directory
```

```

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b6549d2d30": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b65eab0b1c": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b6261f459f": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b63d1c045e": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b622de21a": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b63e37240c": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b62005bf4c": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b6325c82e0": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b66711747c": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b6326e95fa": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b67e247d48": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b618a51eb5": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b6610051e": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b6eaa4bf0": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b67e3a921": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b632a72ae8": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b61fdfe7af": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b67e2e7cfe": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b6599f749d": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b63560e4a8": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b6281f706d": No such file or directory

```



```

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b67b6424de": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b61edd58ac": No such file or directory

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b65d28c36c": No such file or directory

r.merge = inla.merge(r, prob = weight)

## Warning in inla.merge(r, prob = weight): This function is
## experimental.

## Warning in inla.merge(r, prob = weight): Merging 'cpo' and
## 'pit'-results are/can be, approximate only

r.design = inla(y ~ 1 + x,
  data = data.frame(y, x),
  control.family = list(
    hyper = list(
      prec = list(
        ## the prior here does not really matter, as we will override
        ## it with the user.expert in any case.
        prior = "pc.prec",
        param = c(1, 0.01))))),
  control.inla = list(int.strategy = "user.expert",
    int.design = cbind(theta, weight)))

## Warning in normalizePath(inla.dir):
## path[1]="/tmp/RtmpggzAMI/filed8b63366c4cd": No such file or directory

for(k in 1:2) {
  plot(inla.smarginal(r.std$marginals.fixed[[k]]),
    lwd = 2, lty = 1, type = "l",
    xlim = inla.qmarginal(c(0.0001, 0.9999), r.std$marginals.fixed[[k]]))
  lines(inla.smarginal(r.design$marginals.fixed[[k]]),
    lwd = 2, col = "blue", lty = 1)
  lines(inla.smarginal(r.merge$marginals.fixed[[k]]),
    lwd = 2, col = "yellow", lty = 1)
}

```



