

The blended Generalised Extreme Value distribution

The documentation for this likelihood model is a vignette, do
 vignette("bGEVtutorial1-2", package="INLA")
to open it.

Parametrisation

Link-function

Hyperparameters

Specification

Hyperparameter spesification and default values

doc The blended Generalized Extreme Value likelihood

hyper

theta1

hyperid 57201
 name spread
 short.name sd
 initial 0
 fixed FALSE
 prior loggamma
 param 1 3
 to.theta function(x) log(x)
 from.theta function(x) exp(x)

theta2

hyperid 57202
 name tail
 short.name xi
 initial -4
 fixed FALSE
 prior pc.gevtail
 param 7 0 0.5
 to.theta function(x, interval = c(REPLACE.ME.low, REPLACE.ME.high)) log(-(interval[1]
 from.theta function(x, interval = c(REPLACE.ME.low, REPLACE.ME.high)) interval[1] + (

theta3

hyperid 57203
 name beta1
 short.name beta1
 initial NA
 fixed FALSE
 prior normal
 param 0 300
 to.theta function(x) x

```

    from.theta function(x) x
theta4
    hyperid 57204
    name beta2
    short.name beta2
    initial NA
    fixed FALSE
    prior normal
    param 0 300
    to.theta function(x) x
    from.theta function(x) x
theta5
    hyperid 57205
    name beta3
    short.name beta3
    initial NA
    fixed FALSE
    prior normal
    param 0 300
    to.theta function(x) x
    from.theta function(x) x
theta6
    hyperid 57206
    name beta4
    short.name beta4
    initial NA
    fixed FALSE
    prior normal
    param 0 300
    to.theta function(x) x
    from.theta function(x) x
theta7
    hyperid 57207
    name beta5
    short.name beta5
    initial NA
    fixed FALSE
    prior normal
    param 0 300
    to.theta function(x) x
    from.theta function(x) x
theta8
    hyperid 57208
    name beta6

```

```

    short.name beta6
    initial NA
    fixed FALSE
    prior normal
    param 0 300
    to.theta function(x) x
    from.theta function(x) x
theta9
    hyperid 57209
    name beta7
    short.name beta7
    initial NA
    fixed FALSE
    prior normal
    param 0 300
    to.theta function(x) x
    from.theta function(x) x
theta10
    hyperid 57210
    name beta8
    short.name beta8
    initial NA
    fixed FALSE
    prior normal
    param 0 300
    to.theta function(x) x
    from.theta function(x) x
theta11
    hyperid 57211
    name beta9
    short.name beta9
    initial NA
    fixed FALSE
    prior normal
    param 0 300
    to.theta function(x) x
    from.theta function(x) x
theta12
    hyperid 57212
    name beta10
    short.name beta
    initial NA
    fixed FALSE
    prior normal

```

```
param 0 300  
to.theta function(x) x  
from.theta function(x) x
```

status experimental

survival FALSE

discrete FALSE

link default identity log

pdf bgev

Example

Notes